

	Technical specifications Mytik Diam Classic	DQ-FT-MYD-GB-V8 Last update: 11.03.13
--	--	--

Technical specifications (a)

ORGANOLEPTIC CHARACTERISTICS			
Method	Parameters	Specifications	Tolerances
(soak test in 12% hydro-alcoholic solution acidified to pH 3.5 / 25 corks) SPME/GC/MS	releasable 2,4,6-TCA (ng/L)	≤ QL (b)	
	releasable 2,3,4,6-TeCA (ng/L)	≤ QL (b)	
	releasable PCA	≤ QL (b)	
	releasable 2,4,6-TBA (ng/L)	≤ QL (b)	
DIMENSIONAL CHARACTERISTICS			
Method	Parameters	Specifications	Tolerances
(calliper gauge / 32 corks) 48x31 / 48x30,5 / 48x29,5 / 48x29.0 44x26.5 mm	length (mm)	L ± 0.4	AQL 1.5 (A1/R2) (c)
	diameter (mm)	D ± 0.3	AQL 1.5 (A1/R2)
	Chamfer	3.75 ± 0.25	AQL 2.5 (A2/R3)
(weight / 32 corks)	weight (g) 31 x 48 cork	± 0.7	AQL 1.5 (A1/R2)
	weight (g) 30.5 x 48 cork	± 0.7	AQL 1.5 (A1/R2)
	weight (g) 29.5 x 48 cork	± 0.7	AQL 1.5 (A1/R2)
	weight (g) 26.5 x 44 cork	± 0.7	AQL 1.5 (A1/R2)
Traction & compression machine / 5 corks	Average compression pressure value (N/cm ²) for 31,0 30.5 & 29.5 mm	31 – 41	AQL 2.5 (A0/R1)
	Average compression pressure value (N/cm ²) for 26.5 mm	29 – 39	AQL 2.5 (A0/R1)
PHYSICAL CHARACTERISTICS			
Method	Parameters	Specifications	Tolerances
(4 jaw corker / 20 corks)	dimensional recovery (d)	≥ 92% / 30sec.	
(by stirring and filtering / 10 corks)	dust content (mg/cork)	≤ 0.3	

- (a) The above specifications assume compliance with manufacturer's bottling and storage guidelines.
- (b) (b) QUANTIFICATION LIMIT (QL): the quantification limit by SPME/GC/MS is 0.3ng/L for TCA, it is 1ng/L for TeCA and PCA and it is 2ng/L for TBA. This is an indicative value based on internal methodology, available upon request.
- (c) ACCEPTABLE QUALITY LEVEL (AQL): A1/R2 implies that for 32 corks tested: the batch is accepted if a maximum of 1 cork only, show results outside our specifications and the batch is refused if 2 or more corks show results outside our specifications.
- (d) The follow up frequency of this parameter is established in order to regularly evaluate our production batches.

Compliant with regulations governing food contact packaging (EC Framework Regulation 1935/2004 and texts specific to materials Regulation n° 10/2011) based on FDA standards (Code CFR21), global migration (according to Regulation 10/2011), specific migration (according to Regulation 10/2011) and different European Resolutions relating to cork and coating products. Compliant with regulations governing packaging and packaging waste. Certificate of compliance available upon request when placing the order.

Diam Bouchage SAS - Espace Tech Ulrich - 66400 Céret - FRANCE
Tel : +33 (0)4 68 87 20 20 - Fax : +33 (0)4 68 87 35 36
info@diam-bouchage.com - www.diam-cork.com